



Cisco

650-155

ISIWS Cisco IronPort Security Instructor(R) - Web Security

```
179148353.151 134 172.20.11.250 TCP_MISS/200 51190  
GET http://www.nature.com/ "WSA\harry@ADRealm"  
DIRECT/www.nature.com text/html  
ALLOW_WBRS_11-HR-DefaultGroup-DefaultGroup-NONE-NONE-DefaultGroup  
<IW_sci,7.1,"","","","",-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,  
"-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-  
Unknown",Unknown",-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,>
```

Which of the following statements is true? Select exactly 1 answer(s) from the following:

- A. The website has a reputation above 8.0.
B. The length of the web page is 134 bytes.
C. The transaction was assigned to the default (global) access group.
D. Anti-malware scanning was bypassed.

Answer: A

QUESTION: 55

Which of the following is true?

Select exactly 1 answer(s) from the following:

- A. Custom URL Categories cannot contain domain names.
B. Custom URL Categories cannot use regular expressions.
C. Custom URL Categories can override pre-defined URL categories.
D. Custom URL Categories cannot contain IP addresses.

Answer: C

QUESTION: 56







DRAG DROP

Put the following in the order they are performed on the WSA (top to bottom).

First

Second

Third

| | |
|--|-------------------------------|
| <div style="display: flex; justify-content: space-between; align-items: center;">  Select  Deselect </div> | Outbound Malware Scanning |
| <div style="display: flex; justify-content: space-between; align-items: center;">  Select  Deselect </div> | External Data Loss Prevention |
| <div style="display: flex; justify-content: space-between; align-items: center;">  Select  Deselect </div> | Cisco IronPort Data Security |

Answer:

Exhibit

| | | |
|--------------------------|-------------------------------|--------------------------|
| <input type="checkbox"/> | Cisco IronPort Data Security | <input type="checkbox"/> |
| <input type="checkbox"/> | Outbound Malware Scanning | <input type="checkbox"/> |
| <input type="checkbox"/> | External Data Loss Prevention | <input type="checkbox"/> |

| | |
|---|-------------------------------|
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | Outbound Malware Scanning |
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | External Data Loss Prevention |
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | Cisco IronPort Data Security |

Explanation:

Data security
Malware scanning
DLP

QUESTION: 57

DRAG DROP Match the items.

| | | |
|--------------------------|---------------------------|--------------------------|
| <input type="checkbox"/> | manifest updates | <input type="checkbox"/> |
| <input type="checkbox"/> | stream scanning | <input type="checkbox"/> |
| <input type="checkbox"/> | threat statistic feedback | <input type="checkbox"/> |

| | |
|---|------|
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | DVS |
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | WBNP |
| <input type="checkbox"/> Select <input type="checkbox"/> Deselect | WBRS |

Answer:

Exhibit

| | | |
|--------|------|--------|
| man | WBRS | lates |
| stri | DVS | ning |
| threat | WBNP | edback |

| | |
|---|------|
| <input type="button" value="Select"/> <input type="button" value="Deselect"/> | DVS |
| <input type="button" value="Select"/> <input type="button" value="Deselect"/> | WBNP |
| <input type="button" value="Select"/> <input type="button" value="Deselect"/> | WBRS |

Explanation:

DVS-2
WBNP-3
WBRS-1

QUESTION: 58

In the System Setup Wizard, the default action for the WSA when malware is detected can be configured. Assume you do not change this setting when running the System Setup Wizard. What will this default action be set to? Select exactly 1 answer(s) from the following:

- A. Block
- B. Allow
- C. Monitor
- D. Drop
- E. pass through

Answer: C

QUESTION: 59

What is a benefit of NTLMSSP over Basic authentication? Select exactly 1 answer(s) from the following:

- A. Basic cannot be used in transparent proxy mode.
- B. Basic requires re-authentication with every new domain.
- C. NTLMSSP is compatible with OpenLDAP.
- D. NTLMSSP is more secure than Basic.

Answer: D

QUESTION: 60

Which of the following uses ICAP?

Select exactly 1 answer(s) from the following:

- A. decryption policies
- B. anti-malware scanning
- C. Cisco IronPort data security
- D. data loss prevention

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!